



Supplemental Report 1

Additional requested analyses are reported as a stand-alone report.



WORK ORDER NUMBER: 17-05-1889

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: Denali Water Solutions

Client Project Name: Visalia - WM Lyles

Attention: Chris Marks
2001 West Key Street
Colton, CA 92324-6504

A handwritten signature in black ink, appearing to read "Don Burley".

Approved for release on 06/12/2017 by:
Don Burley
Project Manager

ResultLink ▶

Email your PM ▶

Eurofins Calscience, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.

Contents

Client Project Name: Visalia - WM Lyles
 Work Order Number: 17-05-1889

1	Work Order Narrative.	3
2	Sample Summary.	4
3	Client Sample Data.	5
	3.1 EPA 6010B ICP Metals (Solid).	5
	3.2 EPA 7471A Mercury (Solid).	8
4	Quality Control Sample Data.	9
	4.1 MS/MSD.	9
	4.2 LCS/LCSD.	11
5	Sample Analysis Summary.	13
6	Glossary of Terms and Qualifiers.	14
7	Chain-of-Custody/Sample Receipt Form.	15

Work Order Narrative

Work Order: 17-05-1889Page 1 of 1

Condition Upon Receipt:

Samples were received under Chain-of-Custody (COC) on 05/24/17. They were assigned to Work Order 17-05-1889.

Unless otherwise noted on the Sample Receiving forms all samples were received in good condition and within the recommended EPA temperature criteria for the methods noted on the COC. The COC and Sample Receiving Documents are integral elements of the analytical report and are presented at the back of the report.

Holding Times:

All samples were analyzed within prescribed holding times (HT) and/or in accordance with the Calscience Sample Acceptance Policy unless otherwise noted in the analytical report and/or comprehensive case narrative, if required.

Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

Quality Control:

All quality control parameters (QC) were within established control limits except where noted in the QC summary forms or described further within this report.

Subcontractor Information:

Unless otherwise noted below (or on the subcontract form), no samples were subcontracted.

Additional Comments:

Air - Sorbent-extracted air methods (EPA TO-4A, EPA TO-10, EPA TO-13A, EPA TO-17): Analytical results are converted from mass/sample basis to mass/volume basis using client-supplied air volumes.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are always reported on a wet weight basis.



Sample Summary

Client: Denali Water Solutions	Work Order: 17-05-1889
2001 West Key Street	Project Name: Visalia - WM Lyles
Colton, CA 92324-6504	PO Number:
	Date/Time Received: 05/24/17 11:00
	Number of Containers: 6

Attn: Chris Marks

Sample Identification	Lab Number	Collection Date and Time	Number of Containers	Matrix
1: SB#8 E	17-05-1889-1	05/23/17 13:30	1	Solid
2: SB#8 W	17-05-1889-2	05/23/17 13:35	1	Solid
3: SB#7 E	17-05-1889-3	05/23/17 13:40	1	Solid
4: SB#7 W	17-05-1889-4	05/23/17 13:50	1	Solid
5: SS E	17-05-1889-5	05/23/17 13:55	1	Solid
6: SS W	17-05-1889-6	05/23/17 14:00	1	Solid


Return to Contents

Analytical Report

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 3050B
Method: EPA 6010B
Units: mg/kg

Project: Visalia - WM Lyles

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
1: SB#8 E	17-05-1889-1-A	05/23/17 13:30	Solid	ICP 7300	06/08/17	06/09/17 11:14	170608L03

Parameter	Result	RL	DF	Qualifiers
Arsenic	1.30	0.714	0.952	
Cadmium	0.581	0.476	0.952	
Chromium	9.15	0.238	0.952	
Copper	66.2	0.476	0.952	
Lead	40.1	0.476	0.952	
Molybdenum	2.82	0.238	0.952	
Nickel	6.04	0.238	0.952	
Selenium	0.836	0.714	0.952	
Zinc	241	0.952	0.952	

2: SB#8 W	17-05-1889-2-A	05/23/17 13:35	Solid	ICP 7300	06/08/17	06/09/17 11:16	170608L03
-----------	----------------	----------------	-------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qualifiers
Arsenic	0.922	0.754	1.01	
Cadmium	0.579	0.503	1.01	
Chromium	8.27	0.251	1.01	
Copper	60.1	0.503	1.01	
Lead	27.4	0.503	1.01	
Molybdenum	2.61	0.251	1.01	
Nickel	5.08	0.251	1.01	
Selenium	1.01	0.754	1.01	
Zinc	217	1.01	1.01	

3: SB#7 E	17-05-1889-3-A	05/23/17 13:40	Solid	ICP 7300	06/08/17	06/09/17 11:17	170608L03
-----------	----------------	----------------	-------	----------	----------	----------------	-----------

Parameter	Result	RL	DF	Qualifiers
Arsenic	ND	0.754	1.01	
Cadmium	0.513	0.503	1.01	
Chromium	6.64	0.251	1.01	
Copper	63.0	0.503	1.01	
Lead	18.2	0.503	1.01	
Molybdenum	2.50	0.251	1.01	
Nickel	3.94	0.251	1.01	
Selenium	ND	0.754	1.01	
Zinc	230	1.01	1.01	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 3050B
Method: EPA 6010B
Units: mg/kg

Project: Visalia - WM Lyles

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
4: SB#7 W	17-05-1889-4-A	05/23/17 13:50	Solid	ICP 7300	06/08/17	06/09/17 11:21	170608L03

Parameter	Result	RL	DF	Qualifiers
Arsenic	1.13	0.761	1.02	
Cadmium	0.532	0.508	1.02	
Chromium	8.08	0.254	1.02	
Copper	65.0	0.508	1.02	
Lead	29.9	0.508	1.02	
Molybdenum	2.94	0.254	1.02	
Nickel	4.86	0.254	1.02	
Selenium	ND	0.761	1.02	
Zinc	240	1.02	1.02	

5: SS E	17-05-1889-5-A	05/23/17 13:55	Solid	ICP 7300	06/08/17	06/09/17 11:22	170608L03
----------------	-----------------------	-----------------------	--------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qualifiers
Arsenic	1.38	0.773	1.03	
Cadmium	0.854	0.515	1.03	
Chromium	14.1	0.258	1.03	
Copper	126	0.515	1.03	
Lead	38.7	0.515	1.03	
Molybdenum	5.21	0.258	1.03	
Nickel	8.50	0.258	1.03	
Selenium	1.58	0.773	1.03	
Zinc	471	1.03	1.03	

6: SS W	17-05-1889-6-A	05/23/17 14:00	Solid	ICP 7300	06/08/17	06/09/17 11:23	170608L03
----------------	-----------------------	-----------------------	--------------	-----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qualifiers
Arsenic	1.90	0.746	0.995	
Cadmium	0.808	0.498	0.995	
Chromium	12.3	0.249	0.995	
Copper	117	0.498	0.995	
Lead	39.2	0.498	0.995	
Molybdenum	4.51	0.249	0.995	
Nickel	7.58	0.249	0.995	
Selenium	1.10	0.746	0.995	
Zinc	425	0.995	0.995	

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 3050B
Method: EPA 6010B
Units: mg/kg

Project: Visalia - WM Lyles

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	097-01-002-24949	N/A	Solid	ICP 7300	06/08/17	06/09/17 10:05	170608L03

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qualifiers</u>
Arsenic	ND	0.728	0.971	
Cadmium	ND	0.485	0.971	
Chromium	ND	0.243	0.971	
Copper	ND	0.485	0.971	
Lead	ND	0.485	0.971	
Molybdenum	ND	0.243	0.971	
Nickel	ND	0.243	0.971	
Selenium	ND	0.728	0.971	
Zinc	ND	0.971	0.971	



 Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.

Analytical Report

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 7471A Total
Method: EPA 7471A
Units: mg/kg

Project: Visalia - WM Lyles

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
1: SB#8 E	17-05-1889-1-A	05/23/17 13:30	Solid	Mercury 08	06/08/17	06/08/17 19:54	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.544		0.0862	1.00		
2: SB#8 W	17-05-1889-2-A	05/23/17 13:35	Solid	Mercury 08	06/08/17	06/08/17 19:56	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.380		0.0862	1.00		
3: SB#7 E	17-05-1889-3-A	05/23/17 13:40	Solid	Mercury 08	06/08/17	06/08/17 19:59	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.378		0.0862	1.00		
4: SB#7 W	17-05-1889-4-A	05/23/17 13:50	Solid	Mercury 08	06/08/17	06/08/17 20:01	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.454		0.0877	1.00		
5: SS E	17-05-1889-5-A	05/23/17 13:55	Solid	Mercury 08	06/08/17	06/08/17 20:03	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.687		0.0847	1.00		
6: SS W	17-05-1889-6-A	05/23/17 14:00	Solid	Mercury 08	06/08/17	06/08/17 20:06	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		0.776		0.0806	1.00		
Method Blank	099-16-272-3064	N/A	Solid	Mercury 08	06/08/17	06/08/17 19:11	170608L04
<u>Parameter</u>		<u>Result</u>		<u>RL</u>	<u>DF</u>		<u>Qualifiers</u>
Mercury		ND		0.0833	1.00		

Return to Contents

RL: Reporting Limit. DF: Dilution Factor. MDL: Method Detection Limit.



Calscience

Quality Control - Spike/Spike Duplicate

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 3050B
Method: EPA 6010B

Project: Visalia - WM Lyles

Page 1 of 2

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
1: SB#8 E	Sample	Solid	ICP 7300	06/08/17	06/09/17 11:14	170608S03
1: SB#8 E	Matrix Spike	Solid	ICP 7300	06/08/17	06/09/17 11:15	170608S03
1: SB#8 E	Matrix Spike Duplicate	Solid	ICP 7300	06/08/17	06/09/17 11:16	170608S03

Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Arsenic	1.295	25.00	25.77	98	26.15	99	75-125	1	0-20	
Cadmium	0.5814	25.00	26.79	105	26.72	105	75-125	0	0-20	
Chromium	9.154	25.00	35.25	104	35.35	105	75-125	0	0-20	
Copper	66.17	25.00	92.57	106	92.65	106	75-125	0	0-20	
Lead	40.13	25.00	67.84	111	58.31	73	75-125	15	0-20	3
Molybdenum	2.821	25.00	27.00	97	27.63	99	75-125	2	0-20	
Nickel	6.044	25.00	30.29	97	30.85	99	75-125	2	0-20	
Selenium	0.8357	25.00	25.50	99	26.17	101	75-125	3	0-20	
Zinc	241.2	25.00	271.2	4X	288.8	4X	75-125	4X	0-20	Q

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits



Calscience

Quality Control - Spike/Spike Duplicate

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 7471A Total
Method: EPA 7471A

Project: Visalia - WM Lyles

Page 2 of 2

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number				
17-06-0224-1	Sample	Solid	Mercury 08	06/08/17	06/08/17 19:15	170608S04				
17-06-0224-1	Matrix Spike	Solid	Mercury 08	06/08/17	06/08/17 19:17	170608S04				
17-06-0224-1	Matrix Spike Duplicate	Solid	Mercury 08	06/08/17	06/08/17 19:20	170608S04				
Parameter	Sample Conc.	Spike Added	MS Conc.	MS %Rec.	MSD Conc.	MSD %Rec.	%Rec. CL	RPD	RPD CL	Qualifiers
Mercury	ND	0.8350	0.8630	103	0.8135	97	71-137	6	0-14	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Quality Control - LCS

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 3050B
Method: EPA 6010B

Project: Visalia - WM Lyles

Page 1 of 2

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
097-01-002-24949	LCS	Solid	ICP 7300	06/08/17	06/09/17 10:06	170608L03
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Arsenic		25.00	24.90	100	80-120	
Cadmium		25.00	27.32	109	80-120	
Chromium		25.00	27.16	109	80-120	
Copper		25.00	26.78	107	80-120	
Lead		25.00	27.87	111	80-120	
Molybdenum		25.00	26.05	104	80-120	
Nickel		25.00	27.60	110	80-120	
Selenium		25.00	25.21	101	80-120	
Zinc		25.00	27.31	109	80-120	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Quality Control - LCS

Denali Water Solutions
2001 West Key Street
Colton, CA 92324-6504

Date Received: 05/24/17
Work Order: 17-05-1889
Preparation: EPA 7471A Total
Method: EPA 7471A

Project: Visalia - WM Lyles

Page 2 of 2

Quality Control Sample ID	Type	Matrix	Instrument	Date Prepared	Date Analyzed	LCS Batch Number
099-16-272-3064	LCS	Solid	Mercury 08	06/08/17	06/08/17 20:10	170608L04
<u>Parameter</u>		<u>Spike Added</u>	<u>Conc. Recovered</u>	<u>LCS %Rec.</u>	<u>%Rec. CL</u>	<u>Qualifiers</u>
Mercury		0.8350	0.8053	96	85-121	

Return to Contents

RPD: Relative Percent Difference. CL: Control Limits

Sample Analysis Summary Report

Work Order: 17-05-1889

Page 1 of 1

<u>Method</u>	<u>Extraction</u>	<u>Chemist ID</u>	<u>Instrument</u>	<u>Analytical Location</u>
EPA 6010B	EPA 3050B	935	ICP 7300	1
EPA 7471A	EPA 7471A Total	868	Mercury 08	1


Return to Contents

Location 1: 7440 Lincoln Way, Garden Grove, CA 92841

Glossary of Terms and Qualifiers

Work Order: 17-05-1889

Page 1 of 1

<u>Qualifiers</u>	<u>Definition</u>
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to suspected matrix interference. The associated LCS recovery was in control.
4	The MS/MSD RPD was out of control due to suspected matrix interference.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to suspected matrix interference.
6	Surrogate recovery below the acceptance limit.
7	Surrogate recovery above the acceptance limit.
B	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
CI	See case narrative.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
HD	The chromatographic pattern was inconsistent with the profile of the reference fuel standard.
HDH	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected).
HDL	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected).
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
JA	Analyte positively identified but quantitation is an estimate.
ME	LCS Recovery Percentage is within Marginal Exceedance (ME) Control Limit range (+/- 4 SD from the mean).
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
SG	The sample extract was subjected to Silica Gel treatment prior to analysis.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.


Any parameter identified in 40CFR Part 136.3 Table II that is designated as "analyze immediately" with a holding time of ≤ 15 minutes (40CFR-136.3 Table II, footnote 4), is considered a "field" test and the reported results will be qualified as being received outside of the stated holding time unless received at the laboratory within 15 minutes of the collection time.

A calculated total result (Example: Total Pesticides) is the summation of each component concentration and/or, if "J" flags are reported, estimated concentration. Component concentrations showing not detected (ND) are summed into the calculated total result as zero concentrations.



Return to Contents

1884

	UPS Next Day Air® UPS Worldwide Express®
	Shipping Document

WEIGHT	LTR	PAK	WEIGHT	DIMENSIONAL WEIGHT If Applicable	LARGE PACKAGE	SHIPPER RELEASE
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>

☐ EXPRESS (INT'L)
☐ DOCUMENTS ONLY
☐

Shipper authorizes UPS to act as forwarding agent for export control and customs purposes.
Shipper certifies that these commodities, technology or software, if exported from the United States, were exported in accordance with the Export Administration Regulations. Diversion contrary to law is prohibited.

SATURDAY DELIVERY

SHIPMENT FROM
UPS ACCOUNT NO.
REFERENCE NUMBER

GRANT LEWIS

TELEPHONE 661 542-8771

W.M. LYLE

7579 AVENUE 288

V 35A144, CA

93777

DELIVERY TO

TELEPHONE 714 895-2194

EUROFINS / CHEMENCE

7110 HINDEN WAY

CHANDLER, CA

925-11

Residential ☐

UPS Next Day Air®

EXPORT

DELIVERY



J461 749 273 8

TRACKING NUMBER

DATE OF SHIPMENT

010191120 6/14 PRD

United Parcel Service, Louisville, KY

Return to Contents

SAMPLE RECEIPT CHECKLIST

COOLER 1 OF 1

CLIENT: Denali Waters

DATE: 05/24/2017

TEMPERATURE: (Criteria: 0.0°C – 6.0°C, not frozen except sediment/tissue)

Thermometer ID: SC3 (CF: 0.0°C); Temperature (w/o CF): 19.8 °C (w/ CF): 19.8 °C; ☐ Blank ☒ Sample

☒ Sample(s) outside temperature criteria (PM/APM contacted by: 15)

☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling

☐ Sample(s) received at ambient temperature; placed on ice for transport by courier

Ambient Temperature: ☐ Air ☐ Filter

Checked by: 15

CUSTODY SEAL:

Cooler ☐ Present and Intact ☐ Present but Not Intact ☒ Not Present ☐ N/A

Checked by: 15

Sample(s) ☐ Present and Intact ☐ Present but Not Intact ☒ Not Present ☐ N/A

Checked by: 1053

SAMPLE CONDITION:

Chain-of-Custody (COC) document(s) received with samples ☒ Yes ☐ No ☐ N/A

COC document(s) received complete ☐ Yes ☒ No ☐ N/A

☐ Sampling date ☐ Sampling time ☒ Matrix ☒ Number of containers

☐ No analysis requested ☒ Not relinquished ☒ No relinquished date ☒ No relinquished time

Sampler's name indicated on COC ☒ Yes ☐ No ☐ N/A

Sample container label(s) consistent with COC ☒ Yes ☐ No ☐ N/A

Sample container(s) intact and in good condition ☒ Yes ☐ No ☐ N/A

Proper containers for analyses requested ☒ Yes ☐ No ☐ N/A

Sufficient volume/mass for analyses requested ☒ Yes ☐ No ☐ N/A

Samples received within holding time ☒ Yes ☐ No ☐ N/A

Aqueous samples for certain analyses received within 15-minute holding time

☐ pH ☐ Residual Chlorine ☐ Dissolved Sulfide ☐ Dissolved Oxygen ☐ Yes ☐ No ☒ N/A

Proper preservation chemical(s) noted on COC and/or sample container ☐ Yes ☐ No ☒ N/A

Unpreserved aqueous sample(s) received for certain analyses

☐ Volatile Organics ☐ Total Metals ☐ Dissolved Metals

Container(s) for certain analysis free of headspace ☐ Yes ☐ No ☒ N/A

☐ Volatile Organics ☐ Dissolved Gases (RSK-175) ☐ Dissolved Oxygen (SM 4500)

☐ Carbon Dioxide (SM 4500) ☐ Ferrous Iron (SM 3500) ☐ Hydrogen Sulfide (Hach)

Tedlar™ bag(s) free of condensation ☐ Yes ☐ No ☒ N/A

CONTAINER TYPE:

(Trip Blank Lot Number:)

Aqueous: ☐ VOA ☐ VOA_h ☐ VOA_{na2} ☐ 100PJ ☐ 100PJ_{na2} ☐ 125AGB ☐ 125AGB_h ☐ 125AGB_p ☐ 125PB

☐ 125PB_{znna} ☐ 250AGB ☐ 250CGB ☐ 250CGB_s ☐ 250PB ☐ 250PB_n ☐ 500AGB ☐ 500AGJ ☐ 500AGJ_s
☐ 500PB ☐ 1AGB ☐ 1AGB_{na2} ☐ 1AGB_s ☐ 1PB ☐ 1PB_{na} ☐ ☐ ☐ ☐

Solid: ☐ 4ozCGJ ☐ 8ozCGJ ☐ 16ozCGJ ☐ Sleeve () ☐ EnCores® () ☐ TerraCores® () ☒ 2

Air: ☐ Tedlar™ ☐ Canister ☐ Sorbent Tube ☐ PUF ☐ Other Matrix (): ☐ ☐

Container: A = Amber, B = Bottle, C = Clear, E = Envelope, G = Glass, J = Jar, P = Plastic, and Z = Ziploc/Resealable Bag

Preservative: b = buffered, f = filtered, h = HCl, n = HNO₃, na = NaOH, na₂ = Na₂S₂O₃, p = H₃PO₄, Labeled/Checked by: 1053

s = H₂SO₄, u = ultra-pure, x = Na₂SO₃+NaHSO₄·H₂O, znna = Zn (CH₃CO₂)₂ + NaOH

Reviewed by: 718

Donald Burley

From: Chris Marks <chrisamarks@comcast.net>
Sent: Monday, June 05, 2017 1:01 PM
To: Donald Burley
Subject: RE: Visalia - WM Lyles / ECI 17-05-1889

Don,

We do want the tests on all 6 samples. Standard TAT.

Thanks,

Chris

From: Donald Burley [<mailto:DonaldBurley@eurofinsUS.com>]
Sent: Monday, June 05, 2017 12:50 PM
To: Chris Marks
Subject: RE: Visalia - WM Lyles / ECI 17-05-1889

Chris,

There is enough sample remaining.

Do you want the metals analyzed for all 6 samples?

Standard TAT (results next Monday) or rush TAT?

Thank you.

Don

From: Chris Marks [<mailto:chrisamarks@comcast.net>]
Sent: Monday, June 05, 2017 12:05 PM
To: Donald Burley
Subject: RE: Visalia - WM Lyles / ECI 17-05-1889

Don,

Is there enough of those samples left to run the following metals:

As, Cd, Cr, Cu, Hg, Mo, Ni, Pb, Se, Zn

Let me know.

Thanks,

Chris Marks

From: Donald Burley [<mailto:DonaldBurley@eurofinsUS.com>]
Sent: Thursday, May 25, 2017 5:41 PM
To: Chris Marks



Subject: Visalia - WM Lyles / ECI 17-05-1889
Importance: High

Don Burley

Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841
USA
Phone: +1 714 895 5494

Email: DonaldBurley@eurofinsUS.com
Website: www.eurofinsUS.com/Calscience

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you receive this in error, please contact the sender and delete the material from any computer. Email transmission cannot be guaranteed to be secure or error free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete. The sender therefore is in no way liable for any errors or omissions in the content of this message which may arise as a result of email transmission. If verification is required, please request a hard copy. We take reasonable precautions to ensure our emails are free from viruses. You need, however, to verify that this email and any attachments are free of viruses, as we can take no responsibility for any computer viruses, which might be transferred by way of this email. We may monitor all email communication through our networks. If you contact us by email, we may store your name and address to facilitate communication.

Notify us [here](#) to report this email as spam.

